



KERALA GAZETTE

കേരള ഗസറ്റ്

PUBLISHED BY AUTHORITY

ആധികാരികമായി പ്രസിദ്ധപ്പെടുത്തുന്നത്

Vol. II	}	THIRUVANANTHAPURAM, TUESDAY	19th November 2013	}	No.
വാല്യം 2		തിരുവനന്തപുരം, ചൊവ്വ	2013 നവംബർ 19		നമ്പർ
			28th Karthika 1935		46
			1935 കാർത്തികം 28		

PART III

Stores Purchase

Forest Department

TENDER NOTICE

No. PCP-38966/2013. 7th November 2013.

Sealed tenders are invited from reputed firms for the Supply, Installation, Testing, Commissioning and maintenance of GPS/Workstation/Printers/Antivirus (including warranty for three years and continued AMC for the next two years) for use in various offices of the Kerala Forest Department (KFD). The equipment should conform to the technical standards and specifications detailed in the Annexure to this Notice. The other details regarding this tender are as follows:

Sl. No.	Tender No. and Name of Items with PAC	Qty. (Nos.) (Approx.)
1	PCP-38966/2013-GPS—20 lakhs	125
2	PCP-41350/2013-Workstation—3 lakhs	2
3	PCP-41072/2013-Printers—2.80 lakhs	40
4	PCP-39270/2013-Antivirus (Single Tender)—2.60 lakhs	200 Licenses (new Purchase) 75 Licenses (Renewal)

EMD—(1%)—₹ 20,000 for Sl. No. 1; ₹ 3,000 for Sl. No. 2; ₹ 2,800 for Sl. No. 3 and ₹ 2,600 for Sl. No. 4.

Cost of tender form (₹)+ VAT @ 5% or the rate applicable at that time—

Original—₹ 3,150 for Sl. No. 1; ₹ 630 for Sl. Nos. 2, 3; and ₹ 525 for Sl. No. 4.

Duplicate—₹ 1,575 for Sl. No. 1; ₹ 315 for Sl. Nos. 2, 3, 4.

- (i) Period of Supply : Within thirty days from the date of supply order.
- (ii) Mode of Payment : Within two weeks from the date of delivery.
- (iii) Place to be delivered : Various Offices of the Kerala Forest Department (Will be mentioned in the Supply Order)

- (iv) Last date for receipt: Till 3 p.m. on 30-11-2013 of tender
- (v) Opening of tender : At 4 p.m. on 30-11-2013 in the presence of tenderers or their authorized representatives who may be present at that time.

2. The envelopes containing the tender should bear the superscription “Supply, Installation, Testing, Commissioning and maintenance of GPS/Workstation/

Printers/Antivirus (including warranty for three years and continued AMC for the next two years)” and should be addressed to the Additional Principal Chief Conservator of Forests (FMIS), III Floor, Forest Headquarters, Vazhuthacaud, Thiruvananthapuram, Pin-695 014.

3. The number of equipment mentioned above is just approximate. The KFD will be at liberty to increase or decrease the number to be procured or may decide not to procure at all. Tender forms can be purchased from the office of the undersigned or a DD drawn in favour of the Addl. Principal Chief Conservator of Forests (FMIS), Forest Headquarters, Vazhuthacaud, Thiruvananthapuram payable at Thiruvananthapuram shall be enclosed along with the tenders in cases where tender forms are downloaded from the Website (www.forest.kerala.gov.in) and used.

4. The tender forms are not transferable. The tenders received late or in form other than in the prescribed tender form and without the cost of tender document and EMD are liable to be rejected. The prescribed tender form can be had from the office of the undersigned during office hours. If the day of opening tender happens to be a holiday, the tender will be opened on the next working day.

5. The unit price of equipment and rate for annual maintenance contract beyond the warranty period are to be quoted separately.

Tender forms are available in the Website: www.forest.kerala.gov.in.

കേരള വനം വകുപ്പിലെ വിവിധ ഓഫീസുകളിലെ ഉപയോഗത്തിനായി വിശ്വസ്ത സ്ഥാപനങ്ങളിൽനിന്നും ജി. പി. എസ്., വർക്ക് സ്റ്റേഷൻ, പ്രിന്റേഴ്സ്, ആന്റി വൈറസ് എന്നിവ വാങ്ങുന്നതിനായി അഡീ. പ്രിൻസിപ്പൽ ചീഫ് ഫോറസ്റ്റ് കൺസർവേറ്റർ (എഫ്. എം. ഐ. എസ്.) മുദ്രവച്ചുള്ള ദർഘാസുകൾ പ്രത്യേകമായി ക്ഷണിക്കുന്നു. ഈ പരസ്യത്തിനോടൊപ്പം ഉള്ളടക്കം ചെയ്ത അനൗൺസ്മെന്റ് പറയുന്ന നിലവാരത്തിലുള്ളതും നിശ്ചിത യോഗ്യതകളുമുള്ള ഉപകരണമാണെന്ന് ഉറപ്പുവരുത്തേണ്ടതാണ്. ഈ ദർഘാസിന്റെ മറ്റു വിവരങ്ങൾ താഴെ പറയുന്നു.

ക്രമ നമ്പർ	ദർഘാസ് നമ്പരും ഇനവും അടങ്കൽ തുകയും (ലക്ഷത്തിൽ)	ഏകദേശ എണ്ണം
1	പി.സി.പി.-38966/2013—ജി.പി.എസ്.—20	125
2	പി.സി.പി.-41350/2013—വർക്ക് സ്റ്റേഷൻ—3	2
3	പി.സി.പി.-41072/2013—പ്രിന്റേഴ്സ്—2.80	40
4	പി.സി.പി.-39270/2013—ആന്റി വൈറസ് (സിംഗിൾ ടെണ്ടർ)—2.60	200 ലൈസൻസുകൾ (പുതിയവ) 75 ലൈസൻസുകൾ (പുതുക്കാൻ)

നിരതദ്രവ്യം (1%)— ക്രമനമ്പർ 1-ന് ₹ 2,000, ക്രമനമ്പർ 2-ന് ₹ 3,000, ക്രമനമ്പർ 3-ന് ₹ 2,800, ക്രമനമ്പർ 4-ന് ₹ 2,600.

ദർഘാസ് ഫോറത്തിന്റെ വില :

ഒറിജിനൽ—ക്രമനമ്പർ 1-ന് ₹ 3,150, ക്രമനമ്പർ 2, 3 ഇവയ്ക്ക് ₹ 630, ക്രമനമ്പർ 4-ന് ₹ 525.

ഡ്യൂപ്ലിക്കേറ്റ്—ക്രമനമ്പർ 1-ന് ₹ 1,575, ക്രമനമ്പർ 2, 3, 4 ഇവയ്ക്ക് ₹ 315.

- | | | |
|---|---|--|
| (1) വിതരണം ചെയ്യേണ്ടുന്ന സമയം | : | വിതരണത്തിനുള്ള ഉത്തരവ് കിട്ടി മൂപ്പൽ ദിവസത്തിനകം |
| (2) പണം നൽകുന്ന രീതി | : | വിതരണം ചെയ്ത തീയതി മുതൽ രണ്ടാഴ്ചയ്ക്കുള്ളിൽ |
| (3) വിതരണം ചെയ്യേണ്ടുന്ന സ്ഥലം | : | വിതരണത്തിനുള്ള ഉത്തരവിനോടൊപ്പം നൽകുന്നതായിരിക്കും. |
| (4) ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും | : | 30-11-2013, 3 മണിവരെ |
| (5) ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും | : | 30-11-2013 ഉച്ചയ്ക്കുശേഷം 4 മണിക്ക് ലേലക്കാരുടെയോ അവരുടെ പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ |

ദർഘാസ് അയയ്ക്കുന്ന കവറുകളിൽ “ടെണ്ടർ ഫോർ ദ സപ്ലൈ, ഇൻസ്റ്റാലേഷൻ, ടെസ്റ്റിംഗ്, കമ്മീഷനിംഗ് ആന്റ് മെയിന്റനൻസ് ഓഫ് ജി. പി. എസ്./വർക്ക് സ്റ്റേഷൻ/പ്രിന്റർ/ആന്റിവൈറസ് (ഇൻക്ലൂഡിംഗ് വാറണ്ടി ഫോർ ത്രീ ഇയേഴ്സ് ആന്റ് കണ്ടിന്യൂയ് എ. എം. സി. ഫോർ ദ നെക്സ്റ്റ് റൂ ഇയേഴ്സ്)” എന്ന് രേഖപ്പെടുത്തുകയും അഡീഷണൽ പ്രിൻസിപ്പൽ, ചീഫ് ഫോറസ്റ്റ് കൺസർവേറ്റർ (എഫ്. എം. ഐ. എസ്.) ഫോറസ്റ്റ് ഹെഡ് ക്വാർട്ടേഴ്സ്, വഴുതയ്ക്കാട്, തിരുവനന്തപുരം-695 014 എന്ന മേൽവിലാസത്തിൽ അയയ്ക്കേണ്ടതാണ്.

മുകളിൽ പറഞ്ഞിരിക്കുന്ന ഉപകരണങ്ങളുടെ എണ്ണം ഏകദേശം മാത്രമാണ്. ഉപകരണങ്ങളുടെ എണ്ണം കുടാനും കുറയ്ക്കാനും അല്ലെങ്കിൽ വാങ്ങാതിരിക്കാനുമുള്ള തീരുമാനമെടുക്കുന്നതിന് വനം വകുപ്പിന് അവകാശമുണ്ട്. ദർഘാസ് ഫോറം മേൽപ്പറഞ്ഞ വിലയൊടുക്കി പ്രവൃത്തി ദിവസങ്ങളിൽ അഡീഷണൽ പ്രിൻസിപ്പൽ ചീഫ് ഫോറസ്റ്റ്

കൺസർവേറ്റർ (എഫ്. എം. ഐ. എസ്.)-ന്റെ ഓഫീസിൽ നിന്നും വാങ്ങാവുന്നതാണ്. ഇന്റർനെറ്റിൽ നിന്നും ദർഘാസ് ഫോറം ഡൗൺലോഡ് ചെയ്യുന്ന പക്ഷം ദർഘാസിനോടൊപ്പം അഡീഷണൽ പ്രിൻസിപ്പൽ ചീഫ് ഫോറസ്റ്റ് കൺസർവേറ്റർ (എഫ്. എം. ഐ. എസ്.), ഫോറസ്റ്റ് ഹെഡ് ക്വാർട്ടേഴ്സ്, വഴുതയ്ക്കാട്, തിരുവനന്തപുരം എന്ന പേരിൽ എടുത്ത ഡിമാന്റ് ഡ്രാഫ്റ്റ് ഉള്ളടക്കം ചെയ്യേണ്ടതാണ്.

ദർഘാസ് ഫോറം കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. താമസിച്ചു ലഭിക്കുന്ന ദർഘാസുകൾ, നിശ്ചിത ദർഘാസ് ഫോറത്തിലല്ലാതെ ലഭിക്കുന്ന ദർഘാസുകൾ, ദർഘാസ് ഫോറത്തിന്റെ വിലയോ, ഇ. എം. ഡി. യോ ഇല്ലാതെ

ലഭിക്കുന്ന ദർഘാസുകൾ എന്നിവ നിരസിക്കുന്നതാണ്. ദർഘാസ് ഫോറം അഡീഷണൽ പ്രിൻസിപ്പൽ ചീഫ് ഫോറസ്റ്റ് കൺസർവേറ്റർ (എഫ്. എം. ഐ. എസ്.)-ന്റെ ഓഫീസിൽ നിന്നും പ്രവൃത്തി ദിവസങ്ങളിൽ വാങ്ങാവുന്നതാണ്. ഏതെങ്കിലും കാരണവശാൽ ദർഘാസ് തുറക്കാൻ നിശ്ചയിച്ചിരിക്കുന്ന ദിവസം അവധിയായി വരികയാണെങ്കിൽ തൊട്ടടുത്ത പ്രവൃത്തി ദിവസം ദർഘാസ് തുറക്കുന്നതായിരിക്കും.

ഓരോ ഉപകരണത്തിന്റെ വിലയും വാറണ്ടി സമയത്തിനും ശേഷമുള്ള ആനുവൽ മെയിന്റനൻസ് കോൺട്രാക്റ്റ് തുകയും പ്രത്യേകം സമർപ്പിക്കേണ്ടതാണ്.

ദർഘാസ് ഫോറങ്ങൾ www.forest.kerala.gov.in എന്ന വെബ്സൈറ്റ് വിലാസത്തിൽ നിന്നും ലഭ്യമാണ്.

ANNEXURE-A

Technical Specifications of Global Positioning Systems (GPS)

Unit dimensions, W×H×D	: 2.1" × 4.0" × 1.3"
Display size, W×H	: 1.4" × 1.7"
Display resolution, W×H	: 176×220 pixels or more
Display type	: transfective, 65-K color TFT
Weight	: 145g or less with batteries
Battery	: 2AA batteries/NiMH or Lithium recommended
Battery life	: 25 hours or more
Waterproof	: yes
High-sensitivity receiver	: yes
Interface	: USB
Basemap	: yes
Ability to add maps	: yes
Built-in memory	: 1.7 GB or more
Accepts data cards	: micro SD™ card
Waypoints/favorites/locations	: 2000
Routes	: 200
Track log	: 10,000 points, 200 saved tracks
Automatic routing (turn by turn routing on roads)	: yes (with optional mapping for detailed roads)
Electronic compass	: yes (tilt-compensated, 3-axis)
Barometric altimeter	: yes
Geocaching-friendly	: yes (paperless)
Custom maps compatible	: yes

Photo navigation (navigate to geotagged photos)	: yes
Sun and moon information	: yes
Tide tables	: yes
Area calculation	: yes
Custom POIs (ability to add additional points of interest)	: yes
Unit-to-unit transfer (shares data wirelessly with similar units)	: yes
Accessories	: USB cable, Manual

ANNEXURE-B

Technical Specifications of Printers

Components	: Description
Print Type	: Monochrome
Print technology	: Laser
Speed	: Up to 18 ppm
First page out	: As fast as 9 sec
Print quality	: Up to 600 × 600 dpi (1200 dpi effective output)
Duty cycle (monthly)	: Up to 5000 pages
Processor speed	: Minimum 266 MHz
Connectivity	: Hi-Speed USB 2.0 port
Paper handling input, standard	: 150-sheet input tray, single-sheet priority feed slot
Paper handling output, standard	: 100-sheet face-down bin
Media sizes supported	: A4, A5, A6, B5, C5, DL, postcards
Energy efficiency	: ENERGY STAR ® qualified
Operating temperature range	: 30 to 450 C
OS Compatible	: Windows 2000 Windows XP Home Windows XP Professional Windows 7 Windows 8 Linux
Duplexing	: No
Networking	: No
Warranty	: 1 Year Hardware Warranty

ANNEXURE - C

Technical Specifications of Workstations

CPU	: Intel Xeon Quad-core E3-1220 3., 1GHz/8MB L3 Cache or higher
Chipset	: Intel C206 Chipset
Memory	: 8GB 1333 MHz Unbuffered ECC DDR3 & Expandable upto 32 GB
HDD	: 500GB 3.5" 7200 RPM SATA NHS-HDDs

Disk Controller	:	Integrated 6 Port SATA controller (2-6Gb/s & 4-3Gb/s supports RAID 0/1/10)
Optical Drive	:	24×SATA DVD Writer
Ethernet Interface	:	On-board Dual Gigabit Ethernet ports
Graphics Controller	:	NVIDIA Quadro 600-1GB/PCI-e ×16 Graphics card
Audio Controller	:	On-board 8-Channel High Definition Audio CODEC
PCI Slots	:	4 PCI-e Gen2×16, 1 PCI-e Gen2×1 & 1 PCI
Ports	:	1×DVI-I; 1×IEEE 1394a; 2×LAN (RJ45); 2× USB 3.0; 8× USB 2.0; 1× PS/2 & 8-Channel High Definition Audio ports
Monitor	:	OEM 21" Wide LED Monitor with TCO 05 Certification & Internal Speakers
Keyboard	:	OEM 104 Keys USB Keyboard
Mouse	:	OEM USB Optical Mouse
Power Supply	:	400W or higher 80+ Efficient Non Redundant Power Supply
Form Factor	:	Tower
Compliant	:	DMI 2.0, WOL, PXE, ACPI 2.0a, PnP BIOS
OS	:	Windows 7 Professional (64-Bits) or latest

ANNEXURE - D

Technical Specifications of Symantec Antivirus

Symantec endpoint protection : Version-12 and above—200 Nos.

Symantec endpoint Protection 11.0 renewal pack for 36 months—75 Nos.

A. K. BHARDWAJ,
ADDL. PRINCIPAL CHIEF CONSERVATOR
OF FORESTS (FMIS).

Thiruvananthapuram. (For and on behalf of the
Governor of Kerala.)
